



National Institute of Plant Health Management
Department of Agriculture & Cooperation
Ministry of Agriculture
Government of India



Telephone: 9140-24015374
E-mail: niphm@nic .in
Tele-Fax: 9140-24015346

Rajendra Nagar,
Hyderabad – 500 030
<http://.niphm.gov.in>

F.No. NIPHM/4/(1)/BCL/2011-12

Dated: 27/30.1.2012.

Sub: Invitation of quotations for supply of Laboratory Equipment to NIPHM, Hyderabad- reg.

Dear Sirs,

Sealed quotations are invited from the eligible bidders/reputed manufacturers/authorized dealers/distributors for supply of equipments /items. The interested parties may send their quotation in the enclosed proforma at ANNEXURE – II - A & B (Page No. 4 to 5) in a sealed envelope superscribed as “**Tender for Supply of Equipment**” with Tender enquiry No. NIPHM/4/(1)/BCL/2011-12 dt 27/30.01.2012 and due date to the Registrar incharge, NIPHM, Rajendranagar, Hyderabad - 500030 on or before **23.02.2012** upto 02.00 P.M. The quotation will be opened on the same day at 03.00 PM. Please read the terms and conditions at Annexure – I (Page No. 2 & 3) enclosed before submitting your offer/quotation.

Thanking you,

Yours faithfully,

Encl: as above

(G.SHANKAR)
Registrar i/c.
For Director General

Copy to:
Senior System Analyst within a request to place in NIPHM website please.

Annexure to tender enquiry no. NIPHM/4/(1)/BCL/2011-12 dt: 27/30.01.2012 due on 23.02.2012.

TERMS & CONDITIONS:

1. Sealed Quotations will be accepted from authorized dealers/ distributors/manufacturers for supply of laboratory furniture in accordance with our specifications. Dealers/distributor should enclose a copy of the authorization certificate along with the quotation.
2. Tenderer should deposit Rs NIL Rupees NIL Only) towards Earnest Money (refundable) in the form of demand draft drawn in favour of NIPHM, Hyderabad payable at Hyderabad.
3. Please quote the rates for free delivery at NIPHM, Rajendranagar, Hyderabad-30 and no other charges such as Octroi, packing, forwarding, insurance and loading, unloading, freight and clearance etc., will be allowed by the institute.
4. The VAT/Sales/General taxes where legally leviable and intended to be claimed should be distinctly shown along with the price quoted. Where this not done no claim for VAT/Sales/General taxes will be admitted at any stage and on any ground what so ever. VAT/CST registration No. and date of its validity should be indicated. This Institute will not provide "C" & "D" forms, hence quote for the taxes actually leviable. The firm must quote their TIN No. , PAN No., (IT returns) VAT registration no. etc. in the quotation (attested copies to be enclosed)
5. The contract shall be interpreted under Indian laws. **Any disputes arises will have only within Hyd. Jurdictions.** In case of any dispute, the decision of NIPHM, Hyderabad shall be final and binding.
6. The NIPHM does not undertake any responsibility for issue of import licence where it may be required for the supply of the stores and acceptance of tender shall not imply such an undertaking on the part of NIPHM.
7. The rates should be mentioned clearly in both figures and words for each item in the quotation. If there is any variation in figures and words rates quoted in words will be taken in to consideration. The overwriting, cutting, erasing, if any should clearly be indicated duly attested.
8. The Successful firm(s) shall require to deposit 5% of the order value as Security Deposit/Performance Security either by means of demand draft or irrevocable Bank Guarantee obtained from any nationalised/commercial banks in favour of National Institute of Plant Health Management (NIPHM), the Hyderabad which should be valid for 6 months for general stores and beyond 60 days of the warranty period for equipments. The security deposit for general stores will be released/discharged after 60 days of complication of supply, installation and its final acceptance and for equipments after 60 days of successful completion of warranty period/obligations.
9. The Performance Security shall be forfeited if the contractor declared successful fails to supply the stores as per specification mentioned in the purchase order or does not accept the assigned work for any reason, whatsoever.
10. If the firm fails to deliver the goods within the stipulated delivery period as mentioned in the purchase order penalty of 2% per day of value of order shall be imposed/levied as liquidated damages

Contd.....3.

11. The supplier will be fully responsible for any loss in transit and will also be responsible for safe delivery of the goods/stores in good conditions at NIPHM.
12. The quantity. of items may increase or decrease at the time of award of purchase order.
- 13. Quotation should be valid for a minimum period of SIXTY DAYS from opening of tender. The sealed quotation duly superscribing on the envelop “Quotation for supply of(Name of item) with tender no. and due date” should reach on or before the specified date and time to the Registrar incharge, NIPHM, Rajendranagar, Hyderabad-500 030.**
- 14. The NIPHM takes no responsibility for delay, loss or non-receipt of quotations/documents sent by post and reserves the right to accept or reject any part/full of the quotation without assigning any reasons whatsoever.**
15. The tenderer should submit along with their quotation, details of similar furniture/equipments /machineries supplied to Training/Scientific/Technical Institutions in India and the reference to that effect may be clearly mentioned and copies enclosed. Catalogue /literature of the equipment/furniture quoted should be provided along with the quotation.
16. The samples, if called for, shall be submitted free of all charges by you and NIPHM shall not be answerable for the loss or damage their off due to any reason whatsoever. In the event of non-acceptance of your offer, you will have to remove the samples at your own expenses.
17. Guarantee/warranty period being offered for the equipment/item quoted should be indicated clearly.
18. Payment will be made within 30 days after receipt of material, installation and its final acceptance.

Yours faithfully,

(G.SHANKAR)
Registrar i/c.
For Director General.

QUOTATION No :

Dt:

TENDER No : NIPHM/4/(1)/BCL/2011-12 dt: 27/30.01.2012 due on 23.02.2012.

Sl. No.	Equipment	Specifications	Make/Model/Catalogue No.	Unit	QTY	Unit Rate (Rs.)	VAT %	Total Unit Cost (Rs.)	Grand Total (Rs.)
1.	Thermometer: Laboratory Thermometers	Hanging type Measuring range : 0 to 100 Deg C. 1 Deg. C		each	10				
2.	Hygrometers (dial type):	Dia 65 mm Hanging, Silver coated and gold colour		each	10				
3.	U.V. Chamber with UV light:	Sterilization chamber made of mild steel and is divided into two equal parts by horizontal partition. Each partition provided with a drawer which has a semi circular base. In the inner surface of the semicircular base the drawer is provided with longitudinal flanges of 2mm thick and 9cm. apart. These flanges prevent the egg bearing cards to glide one over the other from the curve surface. The ceiling of each drawer is provided with a UV tube light. Tube light is connected with a timer. Capacity : 50 cards		each	2				
4.	Water distillation unit (both stainless and glass case)	(ISI Standard – Indian make) of all leading brands Resistivity – 18.2 megohm, conductivity -0.05 Micro Siemens.T.O.C.-5 to 10 ppb, endotoxins-<0.001EU/ml Micro organisms - < 1cfu / ml, particles (0.22um) -< 1/ml, Flow rate -1.5 lit per hour		each	1				
5.	Mixer-cum-grinder	Mixer-cum-grinder of all leading brands		each	2				
6 2	Chrysopa cages:	Teakwood frame with silk screen net on sides and collapsible cover on one side. Cover can be fixed in position with help of levers. Top sliding plank of MDF covered with black cloth from inside and spirit polished from outside. A spare plank supplied for replacement Combs for removal of insects from plank. Spirit polish finish. - Size 60x 60x 30cm.		each	20				
7 6	Corcyra egg laying cages:	Frame made of MDF (Medium-density fibre board) sheet planks. Fine wire mesh provided on top & bottom. On one corner on top, a rounded opening 3 cm. dia is provided which can be closed with wooden plug. On one side, a rounded opening 11 cm. with an arrangement for drop closure with the help of MDF sheet cover is provided for manually putting in/taking out the material – size 35 x 25x 18cm		each	50				
8	Vacuum /suction pump	Input power : 800 watts Suction of motor : 17640 Pascals with all standard accessories		each	2				

Signature of tenderer:

Seal:

TENDER No : NIPHM/4(1)/BCL/2011-12 DT.27/30.01.2012 Due on 23.02.2012

Sl. No.	Equipment	Specifications	Make/Mode I/Catalogue	Unit	QTY	Unit Rate (Rs.)	VAT %	Total Unit Cost (Rs.)	Grand Total (Rs.)
1	Hot air oven	(ISI Standard – Indian make) of all leading brands SS interior 3 sides heating elements for temperature uniformity, temperature control from ambient to 250 deg.C+/-2 deg. C. Digital display with built in safety thermostat. Inner chamber: 450H x 450W x 450D mm Heating : 5 deg.C above ambient to 250 deg.C+/-2 deg.C.High quality Nichorome heating element provided at the bottom, left and right side of the chamber. i.e.,(mimmert type) Insulation : high quality glass wool between the chamber and jacket. Control : microprocessor based indicating control. Exhaust port : 2 Nos. one each on the left and right side of the chamber.		each	2				
2	Centrifuge	(BIS Standard – Indian make) Centrifuge of all leading brands Gen. purpose lab centrifuge : easy lid lock, step less speed regulator, safety fuse, elegant front panel with a wide choice of rotors heads and adopters Max speed : 5000 rpm Max.rcf : 3650 x g Max.tube size : 50ml Max.capacity : 200ml Width : 320 mm Depth : 375 mm Height : 310 mm Weight : 18 Kgs Connected load : 0.18 KVA Feature : With step less speed regulator, digital speed indicator, 0-99 minutes digital timers, lid lock, break, zero start inter lock and illuminated switch.		each	1				
3	Heat Convectors	Heat Convectors of all leading brands, Floor model, heat regulator (dial type), Thermostat arrangement with auto control unit, Cool touch handle, 2 speed motor with thermal cutout, Watt : 2000 Voltage : 220 - 230 V AC Current /Amp : 9 amps		each	20				
4	Refrigerators 320 Ltr capacity	Refrigerators of all leading brands double door, frost free, door cooling arrangement.		each	2				
5	Top Loading Electronic Balance:	Precision models with capacities from 1g to 500g and readabilities to 1mg, platform 100-120mm, LCD display with AC Adapter , Removable stainless steel weighing platform, high contrast LCD display, fixed integral weigh below hook, all-glass draught shield with 3 sliding doors on 0.1mg and 1mg models, front levelling bubble, menu and calibration locks		each	1				
6	Stereo Binocular Microscope:	Stereo Microscope - of all leading brands Stereoscope binocular microscope equipped with binocular head inclined at 45 deg. And rotate on 360 deg. And one pair of 15 x wide field eye pieces and 2 x and 4 x revolving objectives. Inter papillary distance adjustable from 50mm to 75 mm. Sensitive focusing through smooth rack and pinion. Flexible incident illuminator (6v20W) base illumination system. Total magnification : 20 x to 60x.		each	1				

Signature of tenderer:

Seal: